



## FOR SALE

**500 Ton Prince DCM was Remanufactured with a New DCP Hot chamber shot end installed. This machine has never been put into service since being remanufactured by DCP**


Ref no	1108
Nominal locking Tonnage	500
Distance between tie bars	28" x 28"
Front platen dimensions	8 ¾" x 46" x 52"
Moving Platen Dimensions	7 ¾" x 46" x 46"
Rear Platen dimensions	8 ¾" x 46" x 46"
Tie bar Dia	5 ½"
Pump Motor	60 HP 480V, 1200RPM
Die thickness	Min 18" x Max 32"
Die stroke	14 ½"
Die open speed	1.9
Die close speed	1.4
Shot Stroke	10"
Shot Cylinder Dia	5 1.2" 3 ½" rod
Shot position	0-6" below center
Ejection Stroke	4"
Carriage stroke	12"
Hyd reservoir capacity	450 Gallons Approx..
Air requirements	8-10 SCFM
Machine size	16'5" x 13'6" x 13'6"
Dry Machine weight	55,000 Lbs.



500 Ton Prince  
Remanufactured with New DCP  
shot end

### Features

- New DCP high velocity shot end installed
- New Allen Bradley PLC and controls
- Electric Power door
- Vickers pumps
- Four new tie bars
- All new wiring
- New Trabon Lube system
- Auto Squaring
- Tie bar puller
- Tie bar strain and monitoring
- New die height nuts
- Pressure and bi directional transducers installed
- Visi-trak AD converter AD card installed



**Die Cast Press Mfg. Company, Inc.**

56480 Kasper Drive Paw Paw MI 49079

Phone 269-657-6060 Fax 269-657-9302

Email [ken@diecastpress.com](mailto:ken@diecastpress.com)



